



Square Hollow Sections

YST 310 Grade

Specification:
IS - 4923




SHS B X D mm	Thickness mm	Sec Area A cm ²	Unit W kg/m	Moment of Inertia		Radius of Gyration		Elastic Modulus		Torsional Constants		Outer Surface
				I _{xx} cm ⁴	I _{yy} cm ⁴	r _{xx} cm	r _{yy} cm	Z _{xx} cm ³	Z _{yy} cm ³	J cm ⁴	B cm ²	Area per m ²
25 x 25	2.00	1.74	1.36	1.48	1.48	0.92	0.92	1.19	1.19	2.29	1.68	0.090
	2.60	2.16	1.69	1.72	1.72	0.89	0.89	1.38	1.38	2.68	1.92	0.087
	3.20	2.53	1.98	1.89	1.89	0.86	0.86	1.51	1.51	2.96	2.07	0.084
32 x 32	2.00	2.30	1.80	3.36	3.36	1.21	1.21	2.10	2.10	5.30	3.05	0.118
	2.60	2.88	2.26	4.02	4.02	1.18	1.18	2.51	2.51	6.45	3.63	0.115
	3.20	3.42	2.69	4.54	4.54	1.15	1.15	2.84	2.84	7.41	4.07	0.112
38 x 38	2.60	3.51	2.75	7.14	7.14	1.43	1.43	3.76	3.76	11.51	5.49	0.139
	3.20	4.19	3.29	8.18	8.18	1.40	1.40	4.30	4.30	13.45	6.28	0.136
	4.00	5.03	3.95	9.26	9.26	1.36	1.36	4.87	4.87	15.67	7.12	0.131
40 x 40	2.60	3.72	2.92	8.45	8.45	1.51	1.51	4.22	4.22	13.63	6.20	0.147
	3.20	4.45	3.49	9.72	9.72	1.48	1.48	4.86	4.86	16.00	7.12	0.144
	4.00	5.35	4.20	11.07	11.07	1.44	1.44	5.54	5.54	18.75	8.12	0.139
50 x 50	2.60	4.76	3.74	17.47	17.47	1.92	1.92	6.99	6.99	28.53	10.37	0.187
	2.90	5.25	4.12	18.99	18.99	1.90	1.90	7.60	7.60	31.15	11.23	0.185
	3.60	6.35	4.98	22.15	22.15	1.87	1.87	8.86	8.86	36.58	12.98	0.181
	4.50	7.67	6.02	25.50	25.50	1.82	1.82	10.20	10.20	41.99	14.68	0.177
60 x 60	2.60	5.80	4.55	31.33	31.33	2.33	2.33	10.44	10.44	50.08	15.52	0.227
	3.20	7.01	5.50	36.94	36.94	2.30	2.30	12.31	12.31	60.02	18.31	0.224
	4.00	8.55	6.71	43.55	43.55	2.26	2.26	14.52	14.52	72.41	21.62	0.219
	4.80	10.01	7.85	49.22	49.22	2.22	2.22	16.41	16.41	83.86	24.51	0.215
72 x 72	3.20	8.54	6.71	66.32	66.32	2.79	2.79	18.42	18.42	106.81	27.47	0.272
	4.00	10.47	8.22	79.03	79.03	2.75	2.75	21.95	21.95	129.85	32.78	0.267
	4.80	12.31	9.66	90.31	90.31	2.71	2.71	25.09	25.09	151.55	37.55	0.263
80 x 80	3.20	9.57	7.51	92.71	92.71	3.11	3.11	23.18	23.18	148.55	34.60	0.304
	4.00	11.75	9.22	111.04	111.04	3.07	3.07	27.76	27.76	181.22	41.49	0.299
	4.80	13.85	10.87	127.58	127.58	3.04	3.04	31.89	31.89	212.26	47.77	0.295
91.5 x 91.5	3.60	12.32	9.67	156.49	156.49	3.56	3.56	34.21	34.21	251.17	51.14	0.347
	4.50	15.14	11.88	187.57	187.57	3.52	3.52	41.00	41.00	306.78	61.40	0.343
	5.40	17.85	14.01	215.68	215.68	3.48	3.48	47.14	47.14	359.76	70.77	0.338
100 x 100	4.00	14.95	11.73	226.35	226.35	3.89	3.89	45.27	45.27	364.75	67.50	0.379
	5.00	18.36	14.41	271.10	271.10	3.84	3.84	54.22	54.22	441.84	80.54	0.374
	6.00	21.63	16.98	311.47	311.47	3.79	3.79	62.29	62.29	511.80	92.06	0.369
113.5 x 113.5	4.80	20.28	15.92	393.30	393.30	4.40	4.40	69.30	69.30	637.45	103.89	0.429
	5.40	22.60	17.74	432.58	432.58	4.36	4.36	76.23	76.23	708.69	114.41	0.426
132 x 132	4.80	23.83	18.71	634.39	634.39	5.16	5.16	96.12	96.12	1018.30	144.11	0.503
	5.40	26.80	20.88	700.11	700.11	5.13	5.13	106.08	106.08	1134.24	159.18	0.500
150x 150	4.00	22.95	18.01	807.82	807.82	5.93	5.93	107.71	107.71	1273.46	161.38	0.579
	5.00	28.36	22.26	982.12	982.12	5.89	5.89	130.95	130.95	1569.09	196.38	0.574
	6.00	33.63	26.40	1145.91	1145.91	5.84	5.84	152.79	152.79	1856.18	229.44	0.569
	8.00	43.79	34.38	1443.00	1443.00	5.74	5.74	192.40	192.40	2405.78	290.12	0.559
180x 180	4.00	27.75	21.78	1421.74	1421.74	7.16	7.16	157.97	157.97	2224.31	236.76	0.699
	5.00	34.36	26.97	1736.87	1736.87	7.11	7.11	192.99	192.99	2747.93	289.40	0.694
	6.00	40.83	32.05	2036.52	2036.52	7.06	7.06	226.28	226.28	3259.23	339.65	0.689
	8.00	53.39	41.91	2590.73	2590.73	6.97	6.97	287.86	287.86	4246.16	433.32	0.679
220x 220	6.00	50.43	39.59	3813.36	3813.36	8.70	8.70	346.67	346.67	6034.53	520.18	0.849
	8.00	66.19	51.96	4894.99	4894.99	8.60	8.60	445.00	445.00	7897.48	668.99	0.839
	10.00	81.43	63.92	5887.19	5887.19	8.50	8.50	535.20	535.20	9549.15	796.48	0.829
	12.00	96.14	75.47	6793.08	6793.08	8.41	8.41	617.55	617.55	11116.96	915.37	0.818
250x 250	6.00	57.63	45.24	5672.00	5672.00	9.92	9.92	453.76	453.96	8920.44	680.77	0.969
	8.00	75.79	59.50	7315.65	7315.65	9.82	9.82	585.25	585.25	11702.07	879.31	0.959
	10.00	93.43	73.34	8842.29	8842.29	9.73	9.73	707.38	707.38	14248.15	1054.68	0.949
	12.00	110.54	86.77	10254.78	10254.78	9.63	9.63	820.38	820.38	16678.37	1219.59	0.938



Rectangular Hollow Sections

YST 310 Grade

RHS D X B mm	Thickness mm	Sec Area A cm ²	Unit W kg/m	Moment of Inertia		Radius of Gyration		Elastic Modulus		Torsional Constants		Outer Surface
				I _{xx} cm ⁴	I _{yy} cm ⁴	r _{xx} cm	r _{yy} cm	Z _{xx} cm ³	Z _{yy} cm ³	J cm ⁴	B cm ²	Area per m ²
50 x 25	2.00	2.74	2.15	8.38	2.81	1.75	1.01	3.35	2.25	6.79	3.79	0.142
	2.60	3.46	2.71	10.16	3.36	1.71	0.99	4.06	2.69	8.27	4.53	0.137
	3.20	4.13	3.24	11.63	3.80	1.68	0.96	4.65	3.04	9.52	5.12	0.134
	4.00	4.95	3.88	13.13	4.23	1.63	0.92	5.25	3.38	10.66	5.69	0.129
60 x 40	2.60	4.76	3.73	22.76	12.09	2.19	1.59	7.59	6.05	25.59	9.83	0.187
	2.90	5.25	4.12	24.74	13.11	2.17	1.58	8.25	6.56	28.02	10.66	0.185
	3.60	6.35	4.98	28.90	15.23	2.13	1.55	9.63	7.62	33.30	12.41	0.181
	4.50	7.67	6.02	33.31	17.44	2.08	1.51	11.10	8.72	39.34	14.29	0.177
66 x 33	2.60	4.70	3.69	25.15	8.43	2.31	1.34	7.62	5.11	20.75	8.71	0.185
	2.90	5.19	4.07	27.33	9.12	2.29	1.33	8.28	5.53	22.65	9.43	0.183
	3.60	6.28	4.93	31.87	10.52	2.25	1.29	9.66	6.37	26.71	10.90	0.179
	4.50	7.58	5.95	36.64	11.93	2.20	1.25	11.10	7.23	31.21	12.43	0.175
80 x 40	2.60	5.80	4.55	46.58	15.74	2.84	1.65	11.65	7.87	38.50	13.46	0.227
	3.20	7.01	5.50	54.94	18.41	2.80	1.62	13.74	9.21	45.83	15.78	0.224
	4.00	8.55	6.71	64.79	21.49	2.75	1.59	16.20	10.74	54.77	18.49	0.219
	4.80	10.01	7.85	73.22	24.03	2.71	1.55	18.30	12.02	62.81	20.79	0.215
96 x 48	3.20	8.54	6.71	98.61	33.28	3.40	1.97	20.54	13.87	82.13	23.82	0.272
	4.00	10.47	8.22	117.54	39.32	3.35	1.94	24.49	16.38	99.11	28.24	0.267
	4.80	12.31	9.66	134.35	44.55	3.30	1.90	27.99	18.56	114.80	32.14	0.263
122 x 61	3.60	12.32	9.67	232.61	78.83	4.34	2.53	38.13	25.84	193.91	44.50	0.347
	4.50	15.14	11.88	278.94	93.78	4.29	2.49	45.73	30.75	235.39	53.13	0.343
	5.40	17.85	14.01	320.83	107.03	4.24	2.45	52.60	35.09	274.29	60.89	0.338
145 x 82	4.80	20.26	15.92	555.16	228.50	5.23	3.36	76.57	55.73	534.27	94.45	0.429
	5.40	22.60	17.74	610.85	250.59	5.20	3.33	84.26	61.12	592.70	103.61	0.426
172 x 92	4.80	23.83	18.71	917.13	346.91	6.20	3.82	106.64	75.41	826.04	128.85	0.503
	5.40	26.59	20.88	1012.47	381.74	6.17	3.79	117.73	82.99	918.10	142.04	0.500
200 x 100	4.00	22.95	18.01	1199.71	410.78	7.23	4.23	119.97	82.16	991.47	141.46	0.579
	5.00	28.36	22.26	1459.25	496.94	7.17	4.19	145.93	99.39	1216.98	171.53	0.574
	6.00	33.63	26.40	1703.31	576.91	7.12	4.14	170.33	115.38	1434.03	199.68	0.569
	8.00	43.79	34.38	2146.21	719.19	7.00	4.05	214.62	143.84	1843.86	250.68	0.559
220 x 140	4.00	27.75	21.78	1892.62	947.66	8.26	5.84	172.06	135.38	2004.80	223.74	0.699
	5.00	34.36	26.97	2313.45	1155.23	8.21	5.80	210.31	165.04	2468.51	272.71	0.694
	6.00	40.83	32.05	2714.10	1351.70	8.15	5.75	246.74	193.10	2914.71	318.93	0.689
	8.00	53.39	41.91	3456.31	1712.25	8.05	5.66	314.21	244.61	3270.10	378.40	0.679
240 x 120	4.00	27.75	21.78	2110.72	725.35	8.72	5.11	175.89	120.89	1736.39	208.03	0.699
	5.00	34.36	26.97	2579.67	882.47	8.67	5.07	214.97	147.08	2138.48	253.55	0.694
	6.00	40.83	32.05	3025.91	1030.45	8.61	5.02	252.16	171.74	2528.39	296.7	0.689
	8.00	53.39	41.91	3851.84	1299.95	8.49	4.93	320.99	216.66	3272.9	376.29	0.679
260x 180	6.00	50.43	39.59	4855.87	2763.43	9.81	7.40	373.53	307.05	5619.50	501.06	0.849
	8.00	66.19	51.96	6238.69	3538.10	9.71	7.31	479.90	393.12	6821.23	620.13	0.839
	10.00	81.43	63.92	7509.51	4244.26	9.60	7.22	577.65	471.58	8972.14	760.42	0.834
	12.00	96.14	75.47	8672.42	4884.94	9.50	7.13	667.11	542.77	10150.39	875.12	0.829
300x 150	6.00	51.63	40.53	6073.51	2079.57	10.85	6.35	404.90	277.28	5034.64	478.20	0.869
	8.00	67.79	53.22	7808.95	2654.12	10.73	6.26	520.53	353.88	6559.05	612.64	0.859
	10.00	83.43	65.49	9403.90	3173.71	10.62	6.17	626.93	423.16	8011.67	736.01	0.848
	12.00	98.54	77.35	10866.10	3641.00	10.50	6.08	724.41	485.48	9110.72	829.98	0.838
300x 200	6.00	57.65	45.24	7370.23	3962.19	11.31	8.29	491.34	396.22	8186.02	650.85	0.969
	8.00	75.79	59.50	9513.66	5097.04	11.20	8.20	634.24	509.70	10722.83	839.54	0.959
	10.00	93.43	73.34	11507.24	6144.30	11.10	8.11	767.15	614.43	13189.70	1015.43	0.948
	12.00	110.54	86.77	13355.84	7107.43	10.99	8.02	890.39	710.43	15215.03	1160.24	0.938



Specification:
IS : 4923

Product Range

Product Range: Rectangular Hollow Sections (RHS)

Wall Thickness (mm) = t

Section Size	Wall Thickness (mm) = t															
	D	B	2.0	2.6	2.9	3.2	3.6	4.0	4.5	4.8	5.0	5.4	6.0	8.0	10.0	12.0
50	25	Presently rolled	Under development	Under development	Under development	Under development	Under development	Under development								
60	40		Presently rolled	Under development	Under development	Under development	Under development	Under development								
66	33		Presently rolled	Under development	Under development	Under development	Under development	Under development								
80	40		Presently rolled	Under development	Under development	Under development	Under development	Under development	Under development							
96	48			Under development	Under development	Under development	Under development	Under development	Under development							
122	61					Under development	Under development	Under development	Under development	Under development	Under development					
145	82						Under development	Under development	Under development	Under development	Under development	Under development				
172	92						Under development	Under development	Under development	Under development	Under development	Under development				
200	100						Under development	Under development	Under development	Under development	Under development	Under development	Under development	Under development		
220	140						Under development	Under development	Under development	Under development	Under development	Under development	Under development	Under development		
240	120						Under development	Under development	Under development	Under development	Under development	Under development	Under development	Under development		
260	180												Under development	Under development	Under development	Under development
300	150												Under development	Under development	Under development	Under development
300	200												Under development	Under development	Under development	Under development

- Indicates presently rolled section

- Under development, please confirm availability before adoption in design